Contents

Foreword vii
Contents ix

Part I. Interfacial effects in fusion energy systems. A. Plasma surface interactions in fusion devices

Section 1. Fuel particle balance and dynamics in plasma facing materials

Physical sputtering and reflection processes in plasma–wall interactions, *W. Eckstein* 1
Retention, permeation and re-emission of deuterium implanted in Mo, *S. Nagata, T. Hasunuma, K. Takahiro and S. Yamaguchi* 9
Surface condition effects on plasma driven permeation, *M. Takizawa, K. Kiuchi, M. Okamoto and Y. Fujii* 15

Section 2. Hydrogen isotope behavior in graphitic and ceramic materials

Carbon chemistry due to combined H^+ and O^+ irradiation, *A.A. Haasz, A.Y.K. Chen, J.W. Davis and E. Vietzke* 19
Retention and re-emission processes of hydrogen isotopes in graphite and beryllium, *K. Morita and B. Tsuchiya* . 27
Effect of oxidation on thermal desorption of deuterium sorbed in graphite, *A.V. Markin, A.E. Gorodetsky and A.P. Zakharov* 34
Oxygen gettering properties of boron film produced by diborane dc glow discharge, *T. Hino, T. Mochizuki, Y. Hirohata, K. Tsuzuki, N. Inoue, A. Sagara, N. Noda, O. Motojima, K. Mori, T. Sogabe and K. Kuroda* 38
Retention of hydrogen isotopes in beryllium by simultaneous H^+ and D^+ irradiation, *B. Tsuchiya and K. Morita* 42
Interlayer structure changes of graphite after hydrogen ion irradiation, *Y. Gotoh* 46

Section 3. Hydrogen isotope effects in plasma surface interactions

Elementary processes near the interface between hydrogen gas and solid, *A.A. Pisarev and O.V. Ogorodnikova* . . 52
Permeation behavior of deuterium implanted into Ti–6Al–4V alloy, *M. Arita, T. Hayashi, K. Okuno and Y. Hayashi* 60
Profiling with tritium imaging, *I. Youle and A.A. Haasz* . . 64
Study on retention of hydrogen isotopes and helium in nickel using tritium beam test apparatus, *M. Okada, R. Sato, K. Yamaguchi and M. Yamawaki* 72

Section 4. Impurity production and transport in plasma

Advanced research of plasma wall interaction in China, *J.P. Qian* 78
Impurity production and transport processes in divertor regions, *V.I. Pistunovich, V.A. Pozharov and D.Yu. Prokhorov* 85

Part I. B. Blanket breeder–hydrogen isotope interactions

Section 5. Tritium interactions with solid breeder surface

Advanced understanding of the tritium recovery process from the ceramic breeder blanket, *C.E. Johnson, J.P. Kopasz and S.-W. Tam* 91
Tritium release from Li_2O studied by infrared absorption spectroscopy, *S. Tanaka and M. Taniguchi* 101
Isotope exchange capacity of solid breeder materials, *A. Baba, M. Nishikawa, Y. Kawamura and K. Okuno* . . . 106
Study on the sweep gas chemistry effect on vaporization behavior of Li_2TiO_3 by means of HT mass spectrometry, *A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi* 111

Section 6. Irradiation effects in solid breeders

Basic study of influence of radiation defects on tritium release processes from lithium silicates, *A. Abramenkovs, J. Tiliks, G. Kizane, V. Grishmanovs and A. Supe* 116
A study on irradiation-induced structural change of lithium orthosilicate by infrared spectroscopy analysis with MNDO calculation, *T. Nakazawa, D. Yamaki and K. Noda* 121
Influence of irradiation defects and atmosphere on luminescence and tritium release from Li_2O, *V. Grishmanov, S. Tanaka and T. Yoneoka* 128
In situ luminescence measurement of irradiation defects in ternary lithium ceramics under ion beam irradiation, *K. Moritani and H. Moriyama* 132

Section 7. Tritium recovery from liquid breeders

Thermodynamics of the interactions between liquid breeders and ceramic coating materials, *P. Hubberstey and T. Sample* 140
Blanket design using FLiBe in helical-type fusion reactor FFHR, *A. Sagara, O. Motojima, O. Mitarai, S. Imagawa, K. Watanabe, H. Yamanishi, H. Chikaraishi, A. Kohyama, H. Matsui, T. Muroga, N. Noda, T. Noda, N. Ohyabu, T. Satow, A.A. Shishkin, S. Tanaka, T. Terai, K. Yamazaki, J. Yamamoto and FFHR Group* 147
Research and development on ceramic coatings for fusion reactor liquid blankets, *T. Terai* 153
Tritium recovery from Li17–Pb83 liquid breeder by permeation window method, *T. Terai, A. Suzuki and S. Tanaka* 159
Characterization of Y_2O_3 coating for liquid blanket, *M. Nakamichi, H. Kawamura, T. Terai and S. Tanaka* . . 165

Part II. Interfacial effects in fission energy systems

Section 8. Irradiation-induced restructuring (rim-effect, etc.)

Formation of the rim structure in high burnup fuel, *Hj. Matzke and J. Spino* 170
Application of a mechanistic model for radiation-induced amorphization and crystallization of uranium silicide to recrystallization of UO_2, *J. Rest* 180
Towards the mathematical model of rim structure formation, *M. Kinoshita* 185
Radiation damage of UO_2 by high-energy heavy ions, *K. Hayashi, H. Kikuchi and K. Fukuda* 191

Effect of grain size on recrystallization in high burnup fuel pellets, *K. Nogita, K. Une, M. Hirai, K. Ito, K. Ito and Y. Shirai* 196
Behavior of neutron-irradiated U_3Si, *M. Ugajin, M. Akabori, A. Itoh, N. Ooka and Y. Nakakura* 204

Section 9. Chemical state of fission products, etc., in defected fuel pins

The chemical state of defective uranium–plutonium oxide fuel pins irradiated in sodium cooled reactors, *H. Kleykamp* 209
Chemical processes in defective LWR fuel rods, *D.R. Olander, W.-E. Wang, Y.S. Kim, C.Y. Li, S. Lim and S.K. Yagnik* 214
Radiation effect on the chemical state of fission product iodine, *K. Konashi, Y. Siokawa, H. Kayano and M. Yamawaki* 220
Experimental analyses of iodine behavior under severe accident conditions with ART, *A. Hidaka, M. Igarashi, K. Hashimoto, T. Yoshino and J. Sugimoto* 226
Vaporization behavior of $SrPuO_3$, *K. Nakajima, Y. Arai, Y. Suzuki and M. Yamawaki* 233

Section 10. Fuel pin and fission product behaviors under accidential conditions

High burnup fuel behavior related to fission gas effects under reactivity initiated accidents (RIA) conditions, *F. Lemoine* 238
Fuel failure and fission gas release in high burnup PWR fuels under RIA conditions, *T. Fuketa, H. Sasajima, Y. Mori and K. Ishijima* 249
Vaporization properties of $SrUO_3$ and $BaUO_3$ in atmospheres simulating accident conditions, *J. Huang, M. Yamawaki, K. Yamaguchi, M. Yasumoto, H. Sakurai and Y. Suzuki* 257
Effects of pellet microstructure on irradiation behavior of UO_2 fuel, *R. Yuda, H. Harada, M. Hirai, T. Hosokawa, K. Une, S. Kashibe, S. Shimizu and T. Kubo* 262

Section 11. Cladding corrosion under irradiation

Irradiation effects on corrosion of zirconium alloy claddings, *F. Lefebvre and C. Lemaignan* 268
BWR Zircaloy cladding corrosion behavior – effect of microstructure, *S. Shimada, Y. Etoh and K. Tomida* . . 275
PWR Zircaloy cladding corrosion behavior: quantitative analyses, *T. Kido, K. Kanasugi, M. Sugano and K. Komatsu* 281
Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, *J. Nowotny, C.C. Sorrell and M. Yamawaki* . 288
Formation and dissolution of oxide film on zirconium alloys in 288°C pure water under γ-ray irradiation, *Y. Nishino, M. Endo, E. Ibe and T. Yasuda* 292
Study of environmental effects on water-side corrosion of Zircaloy-2 fuel cladding, *Y. Etoh, S. Shimada, M. Sasaki, T. Kogai, H. Hayashi, M. Kitamura, K. Tsuji and M. Yamawaki* 299
Effects of the solid–solid interface on the thermal behavior of deuterium in zircaloy cladding tubes, *I. Takagi, M. Hashizumi, A. Yamagami, K. Maehara and K. Higashi* . 306
Influence of size distribution of $Zr(Fe,Cr)_2$ precipitates on hydrogen transport through oxide film of Zircaloy-4, *Y. Hatano, R. Hitaka, M. Sugisaki and M. Hayashi* 311
Observation of the spatial distribution of hydrogen in Zircaloy-2 oxidized in H_2O steam at 723 K by a technique of tritium microautoradiography, *K. Isobe, Y. Hatano and M. Sugisaki* 315
Study on surface defect structures of ZrO_2 and some doped ZrO_2 by means of work function measurement, *M. Yamawaki, A. Suzuki, F. Ono and K. Yamaguchi* . . 319

Section 12. Interfacial actinide chemistry in radioactive waste management

Interfacial behavior of actinides with colloids in the geosphere, *S. Nagasaki, S. Tanaka and A. Suzuki* 323
Effects of humic acid on the sorption of neptunium(V) on kaolinite, *Y. Niitsu, S. Sato, H. Ohashi, Y. Sakamoto, S. Nagao, T. Ohnuki and S. Muraoka* 328
Surface complexation modeling for description of actinide sorption at the buffer materials/water interface, *M. Tsukamoto, T. Fujita and T. Ohe* 333
Nitridation of uranium and rare-earth metals in liquid Cd, *M. Akabori, A. Itoh and T. Ogawa* 338
High temperature liquid metal corrosion and high temperature electrical conductivity of Y_2O_3, *T. Yoneoka, T. Terai and Y. Takahashi* 343
Compatibility of structural materials with molten chloride mixture at high temperature, *Y. Hosoya, T. Terai, T. Yoneoka and S. Tanaka* 348

Part III. Quantum beam–material interactions

Section 13. Radiation chemistry in quantum beam–material system

Application of ion beams to synthesis of environmentally responsive track membranes, *H. Omichi, M. Yoshida, M. Asano, N. Nagaoka, H. Kubota, R. Katakai and R. Spohr* 354
Medical and other applications of high-energy heavy-ion beams from HIMAC, *T. Murakami, H. Tsujii, Y. Furusawa, K. Ando, T. Kanai, S. Yamada and K. Kawachi* . 360
Exciplex emission from amphiphilic polysilanes bearing ammonium moieties, *T. Yamaki, Y. Nakashiba, K. Asai, K. Ishigure, S. Seki, S. Tagawa and H. Shibata* 369

Section 14. Development of new quantum beams and its application

Femto-second electron pulses from a linear accelerator, *H. Wiedemann, D. Bocek, M. Hernandez and C. Settakorn* 374
Production and utilization of synchronized femtosecond electron and laser single pulses, *M. Uesaka, T. Watanabe, T. Ueda, M. Kando, K. Nakajima, H. Kotaki and A. Ogata* 380
Novel interferometers for femtosecond phase spectroscopy, *T. Kobayashi and K. Misawa* 386

Production of femtosecond single-bunched electrons by laser wakefield acceleration, *A. Ogata, K. Nakajima and N. Andreev* 392
A molecular dynamics study for ultrafast process of radiation damage in materials, *K. Morishita, N. Sekimura and T. Diaz de la Rubia* 400
Interaction of terawatt laser with plasma, *M. Kando, K. Nakajima, M. Arinaga, T. Kawakubo, H. Nakanishi, A. Ogata, T. Kozawa, T. Ueda and M. Uesaka* 405

Section 15. Innovative applications of quantum beams in material research

Laser and X-ray spectroscopic studies of uranium–calcite interface phenomena, *G. Geipel, T. Reich, V. Brendler, G. Bernhard and H. Nitsche* 408
Application of quantum beams to analysis of radioactive materials, *M. Petri, L. Leibowitz and C.E. Johnson* . . 412
Chemistry of excited states: Its impact on plasma wall interactions in fusion devices, *T. Tanabe* 418
Investigation of hydrogen covered crystalline surfaces by low-energy ion-scattering and recoiling spectroscopy, *O. Grizzi, J.E. Gayone, G.R. Gómez, R.G. Pregliasco and E.A. Sánchez* 428
Application of synchrotron radiation to analysis of local structures in energy-related materials, *T. Matsui, T. Tokunaga, T. Nagasaki, Y. Arita, H. Shigematsu, T. Harami, H. Ohno and K. Kobayashi* 435
Measurement of a knock-on process induced by an ion beam, *M. Teshigawara, K. Konashi and H. Kayano* . . 439
Hydrogen analysis of silicon surfaces by low-energy ion beams, *F. Shoji and K. Oura* 443

Author index 449
Subject index 454